

## GURU GOBIND SINGH MEDICAL COLLEGE, FARIDKOT. (PUNJAB)- 151203 (Constituent Medical College of Baba Farid University of Health Sciences, Faridkot) E-mail: procurement@ggsmch.org Website: www.ggsmch.org

| <u> </u>               | procurement was sment or g | Website. WWW.ggsmen.org |
|------------------------|----------------------------|-------------------------|
| No. Purchase/GGS/2023/ | 8560                       | Date:./80\$.2023        |
|                        |                            |                         |

## Sub: Quotation for Supply of Kits required at Microbiology Department.

Sealed quotations are invited for supply of Kits on following terms & conditions given as under:-

|     |   |                | T B B       | 1.4.1.75     |          |
|-----|---|----------------|-------------|--------------|----------|
| Sr. | Name of the Item                            | Pack           | Rate in Rs. | Make/Brand   | Quantity |
| No. | v e v <sup>*</sup> t <sub>i</sub>           | Size           |             |              | Required |
|     |   |                |             |              |          |
| 1   | Widal Antigen set(tube test)                |                | Per Kit     | To be filled |          |
|     | Specifications :-                           |                |             | by the       |          |
|     | 1. For detection of antibodies to           |                |             | bidder.      |          |
|     | Salmonella group of organisms( O,           |                |             |              |          |
|     | H, AH, BH antigens).                        |                | 2           |              |          |
|     | 2. Separate colour added antigens           |                |             |              |          |
|     | for differential diagnosis of both          |                | _ "         |              |          |
|     | Salmonella typhoid and                      | 7 <sup>-</sup> |             |              |          |
|     | Salmonella paratyphoid.                     |                |             | 17           |          |
|     | 3. 4x50ml                                   |                |             |              | -        |
|     | 4. Long Expiry                              |                |             |              |          |
|     | 5. Must be accompanied with a               |                | 0.50        |              |          |
|     |   |                |             |              | 1.       |
|     | brochure for technical evaluation.          |                |             |              |          |
|     | 6. The company must also provide            |                |             |              |          |
|     | point vise compliance of the                |                |             |              |          |
|     | specifications.                             |                |             |              |          |
|     | ANIA E1: I/:4                               |                | Per kit     | -            |          |
| 2   |   | 0              | Perkit      |              |          |
|     | Specifications :-                           |                |             |              |          |
|     | 1. For determination of ANA in              |                |             |              |          |
|     | human serum.                                |                |             |              |          |
|     | <ol><li>Based on ELISA principle.</li></ol> |                |             |              |          |
|     | 3. 96 tests(12x8 breakable strip            |                | <           |              |          |
|     | wells).                                     |                |             |              |          |
|     | 4. Long Expiry                              |                |             |              |          |
|     | 5. Must be accompanied with a               |                |             |              |          |
|     | brochure for technical evaluation.          |                |             |              |          |
|     | 6. The company must also provide            |                |             |              |          |
|     | point vise compliance of the                |                |             |              |          |
|     | specifications.                             | -              |             |              |          |
|     | apcomodions.                                |                |             |              |          |
| 3   | Actidione(cycloheximide)                    |                | Per pack    |              |          |
|     | Make: Himedia/Tulip/BD/qualikems            |                |             |              | >        |
| 4   | Dipottasium Hydrogen Orthophosphate         | 500gm          | Per pack    |              |          |
|     | (Make: Himedia/Tulip/qualikems)             | Ĭ              |             |              |          |
|     | ,   | e <sup>r</sup> |             | ×            |          |
|     |   |                |             |              | 00000000 |



| 5.  | Sodium Dihydrogen Phosphate<br>(Make: Himedia/Tulip/qualikems)   | 500gm | Per pack       |     |   |
|-----|--|-------|----------------|-----|---|
| 6.  | Trisodium Citrate<br>(Make: Himedia/Tulip/qualikems)   | 500gm | Per pack       |     |   |
| 7.  | Sodium Trisulphate<br>(Make: Himedia/Tulip/qualikems)  | 500gm | Per pack       | ,   |   |
| 8   | Dipottasium Phosphate<br>(Make: Himedia/Tulip/qualikems)   | 500gm | Per pack       |     |   |
| 9.  | Sodium Selenite Hydrogen<br>(Make: Himedia/Tulip/qualikems)  | 500gm | Per pack       | y a |   |
| 10. | Pottasium Dihydrogen-O-Phosphate (Make: Himedia/Tulip/qualikems)   | 500gm | Per pack       | 1   |   |
| 11. | Ethanol(absolute)<br>(Make: Any)   | 500ml | Per pack       |     |   |
| 12. | One Step immunochromatography card test for detecting antibodies specific to HIV-1 & HIV-2 in serum, plasma and whole blood. (Make: J.Mitra/SD/Abbot/Transasia) Specifications:  1. One step rapid test 2. Lateral Flow 3. 3 Lines 4. Easy to use 5. Easy to read and interpret 6. Discrimination between HIV-1 and HIV-2 antibodies 7. Room temperature storage 8. Sensitivity:100% 9. Specificity:100% |       | I kit=50 tests |     |   |
| 13. | Urea Agar base(Christensen) (Make: any)  | 500gm |                |     | 8 |
| 14. | Urea analytical reagent(powder) (Make: any)  | 500gm |                |     |   |
| 15. | Potassium Hydroxide pellets (Make: Hi-<br>Media/Tulip/Qualikem)  | 500gm |                |     |   |

## **Terms & Conditions:**

- 1. The material should be good quality and according to the requirement.
- 2. The material should meet standards in Quality and as per required Make/ Brand and Specifications should be mentioned clearly.
- 3. Supply should be F.O.R. destination at Medical Store G.G.S. Medical College & Hospital, Faridkot.
- 4. Rates quoted should not be more than those quoted to DGS&D and any other central or State Govt. Organizations.
- 5. Payment will be made after getting satisfactory report from the concerned department.
- 6. If the supply is not made within the stipulated periods then late delivery charges @2% will be imposed on the total amount up to delay of 30 days and thereafter @4% for further delay.



- 7. Taxes should be clearly mentioned separately.
- 8. Validity of Rates:- 90 days from the last date of receipt of Quotations.

Note: Only Terms & Conditions mentioned on this Quotation will be considered for supply order.

You are requested to send your lowest bid in sealed envelope, addressed to The PRINCIPAL, G.G.S Medical College, FARIDKOT super scribing "QUOTATION" for " Kits and Quotation no...... date......" on the top of the Envelope.

Last Date for receipt of Quotation /Tender in Principal Office is %.052023 by 5.00p.m. through Registered/ Speed Post/Trackable Courier Only.

Principal